PERFORM A PATIENT ASSESSMENT (EMT-B): TRAUMA

For use of this form see TC 8-800; the proponent agency is TRADOC.

TABLES: I, V

REFERENCES: STP 8-68W13-SM-TG, Task: 081-833-0155, Perform a Trauma Casualty Assessment; Emergency Care and

Transportation of the Sick and Wounded.

1. Soldier (Last Name, First Name, MI)

2. Date (YYYYMMDD)

CONDITIONS: G

Given a patient with a suspected injury or injuries in a simulated prehospital environment. You are not in a CBRN environment. Patient assessment is the cornerstone of good prehospital care. The best EMS providers are renowned for their thorough and systematic approach to performing patient assessments. If you can develop a consistent and methodical approach to assessment, you will be well on your way to providing the best possible medical care.

STANDARDS:

Perform all measures IAW Emergency Care and Transportation of the Sick and Injured. You must score at least 70% (32 of 45 steps) and not miss any critical (*) elements on the skill sheet.

SAFETY:

o Risk Assessment: Low. All bodily fluids should be considered potentially infectious; always observe body substance isolation

(BSI).

• Precautions: Wear gloves and eye protection as a minimal standard of protection.

o Environmental: None.

NOTE:

Soldier Medics must be observed. (Evaluator to Soldier Medic ratio is 1:6).

TEST SCENARIO:

As per Trauma Scenario. You are responding to an emergency call for a motor vehicle collision with injuries. You must perform a thorough and systematic initial patient and rapid trauma assessment for this trauma casualty in order to guide your decision-making process as to how to best manage this casualty.

3.	Evaluator's	Comments	and After-Test	Recommendations:

This form was prepared by U.S. Government employees for use in the 68W MOS. Although it contains, in part, copyright material from National Registry of Emergency Medical Technicians, Inc. (NREMT) skill sheets ©2000, ©2002, and ©2003, this form has neither been prepared nor approved by NREMT. Use is restricted to guidelines contained in the Preface to TC 8-800.

PERFORM A PATIENT ASSESSMENT (EMT-B): TRAUMA GRADING SHEET

TASK		COMPLETED					
4. Performed a Scene Size-Up	15 P	ST F	21 P	ND F	3F P	RD F	
a. * Took/verbalized body substance isolation (BSI) precautions.							
b. * Determined if the scene is safe.							
c. * Determined the mechanism of injury.							
d. * Determined the number of casualties.							
e. * Requested additional assistance if deemed necessary. NOTE: The need for additional assistance is based on the number of patients. MOI may dictate additional personnel or equipment.							
f. Considered stabilization of C-spine based on evaluation of the MOI.							
5. Performed an Initial Assessment EVALUATOR: As the Soldier Medic performs each step in the initial assessment, provide the correct responses as per the Trauma Scenario.	1: P	1ST P F		2ND P F		3RD P F	
a. * Formed a general impression of the casualty.							
b. * Initiated and maintained C-spine stabilization.							
c. * Determined responsiveness/assessed the casualty's mental status.							
6. Assessed Airway and Breathing	15 P	1ST		2ND		3RD P F	
a. * Assessed the airway (look, listen, feel).		F	Р	F			
b. * Assessed the breathing (rate, rhythm, quality).							
c. Initiated appropriate oxygen therapy.							
7. Assessed Circulation	1ST		2ND P F		3RD P F		
a. * Assessed the skin (color, temperature, condition).							
b. * Assessed the pulse (rate, rhythm, strength).							
c. * Assessed for and controlled significant bleeding.							
d. Treated the casualty for shock (as appropriate).							
8. Identified Priority and Made a Transport Decision	1ST			2ND P F		3RD P F	
a. Selected the appropriate assessment to perform (rapid trauma, focused).	P	F					
b. Made a transport decision (immediate transport, ALS backup).							
9. Performed a Rapid Trauma Assessment		1ST		2ND		3RD	
	Р	F	Р	F	P	F	
a. * Continued spinal immobilization.							
b. * Assessed the head.							

PERFORM A PATIENT ASSESSMENT (EMT-B): TRAUMA **GRADING SHEET (cont'd)** TASK **COMPLETED** 1ST 2ND 3RD 9. Performed a Rapid Trauma Assessment (cont'd) F c. * Assessed the neck. d. * Assessed the chest. e. * Assessed the abdomen. f. * Assessed the pelvis. g. * Assessed the extremities. h. * Assessed the posterior (log rolls with spinal precautions) . * EVALUATOR: If after detecting (IAW Trauma Scenario) an unstable pelvis or bilateral femur fractures and the Soldier Medic log-rolls the casualty, they will be scored Fail. 1ST 2ND 3RD 10. Obtained SAMPLE History/Transport/Vital Signs Р Р F F F * Obtained a SAMPLE History (prior to leaving the scene). b. Transported the casualty within 10 minutes. * Obtained vital signs (pulse, respirations, blood pressure). 1ST 2ND 3RD 11. Performed a Detailed Physical Examination During Transport Ρ F Ρ Р F * Assessed the scalp and craniu m (DCAP-BTLS / TIC). b. * Assessed the ears (DCAP-BTLS / fluid drainage). c. * Assessed the face (DCAP-BTLS). d * Assessed the eyes (DCAP-BTLS / pupils). e. * Assessed the nose (DCAP-BTLS / fluid drainage). f. * Assessed the mouth (DCAP-BTLS / tongue / odors). g. * Assessed the neck (DCAP-BTLS / JVD / tracheal deviation). h. * Assessed the chest (DCAP-BTLS / TIC / auscultates). i. * Assessed the abdomen (DCAP-BTLS / TRD). j. * Assessed the pelvis (DCAP-BTLS / crepitus or instability). k. * Assessed the extremities (DCAP-BTLS / PMS x 4). I. * Assessed the posterior (DCAP-BTLS / rectal bleeding). m. * Managed secondary injuries found during survey. n. * Reassessed vital signs (pulse, respirations, blood pressure). o. Documented the procedure on the appropriate medical form. p. * Did not cause further injury to the casualty. * CRITICAL ELEMENTS

PERFORM A PATIENT ASSESSMENT (<i>EMT-B)</i> : TRAUMA GRADING SHEET <i>(cont'd)</i>											
12. Demonstrated Proficiency	Yes No										
13. Start Time	14. Stop Time	15. Initial Evaluator									
16. Start Time	17. Stop Time	18. Retest Evaluator									
19. Start Time	20. Stop Time	21. Final Evaluator									
22. Remarks											

DA FORM 7595-34-R, MAY 2009

Page 4 of 6

APD PE v1.00

PERFORM A PATIENT ASSESSMENT (EMT-B): TRAUMA EVALUATOR GUIDELINES AND INSTRUCTIONS

Inform the Soldier Medic of the CONDITIONS and STANDARDS as stated on this form.

Provide an optional scenario, if appropriate. This scenario should reinforce the unique or particular needs of the unit.

Allow sufficient time for the Soldier Medic to extract information from the scenario.

Provide each evaluator with the grading sheet.

Ensure the Soldier Medic has all required materials.

Explain how the exercise is graded.

Resource Requirements:

Evaluator: Grading sheet and applicable scenario.

Soldier Medic: Applicable scenario, medical aid bag stocked with a basic load, C-collar and long spine board, evacuation vehicle, another

Soldier performing as an assistant/Combat Lifesaver.

Additional Scoring Guidelines:

Performed a Scene Size-Up

Determined if the scene was safe.

- o Evaluated the scene for the safety of the casualty and emergency personnel.
- o Determined the safest route to access the casualty.

Performed an Initial Assessment

Formed a general impression of the casualty.

- o Immediately looked for life-threatening conditions.
- o Looked for the mechanism of injury (MOI).
- o Determined if the casualty was coherent and able to answer questions.

Determined responsiveness/assessed the casualty's mental status.

- o Level of consciousness (LOC).
- o AVPU.
- o Determined chief complaint/apparent life threats.

Assesseed Airway and Breathing

Assessed the airway (look, listen, feel).

- Open and patent.
- o Adjunct(s) indicated.

Performed a Rapid Trauma Assessment

Assessed the head.

- Inspected for DCAP-BTLS.
- o Palpated for crepitus.

Assessed the neck.

- o Inspected for DCAP-BTLS.
- o Assessed for tracheal deviation.
- Assessed for jugular vein distension (JVD)
- o Palpated the C-spine for step-offs (applied cervical collar).

Assessed the chest.

- o Inspected for DCAP-BTLS.
- o Palpated for tenderness, instability, crepitus (TIC).
- o Inspected for paradoxical motion.

Assessed the abdomen.

- o Inspected for DCAP-BTLS.
- o Palpated for tenderness, rigidity, distension (TRD).

PERFORM A PATIENT ASSESSMENT (EMT-B): TRAUMA EVALUATOR GUIDELINES AND INSTRUCTIONS (cont'd)

Performed a Rapid Trauma Assessment (cont'd)

Assessed the pelvis.

- o Inspected for DCAP-BTLS.
- o Compressed to detect crepitus or instability.
- o Determined level of pain.
- o Inspected for priapism.

Assessed the extremities.

- o Inspected for DCAP-BTLS (all four extremities).
- o Assessed distal pulses, motor, and sensory function (PMS).

Assessed the posterior (log-rolled casualty with spinal precautions).

- o Inspected for DCAP-BTLS.
- o Inspected for rectal bleeding.

Obtained SAMPLE History/Transport/Vital Signs

Obtained a SAMPLE History (prior to leaving the scene).

- o S: Signs and symptoms of the episode.
- o A: Allergies (medications, food or other substances).
- o M: Medications (prescribed, OTC; dosage)
- o P: Pertinent past medical history.
- o L: Last oral intake (eat or drink).
- o E: Events leading up to injury/Illness.

Obtained vital signs.

- o Pulse (rate, strength, regularity).
- o Respirations (rate, quality).
- o Blood pressure.

Performed a Detailed Physical Examination During Transport

Assessed the ears.

- o Inspected for DCAP-BTLS.
- o Inspected for fluid drainage (blood, clear fluid).

Assessed the eyes.

- o Inspected for DCAP-BTLS.
- o Inspected for discoloration; blood in anterior chamber.
- o Inspected for unequal pupils.
- Inspected for foreign bodies.

Assessed the nose.

- o Inspected for DCAP-BTLS.
- o Inspected for drainage (blood, clear fluid).

Assessed the mouth.

- o Inspected for DCAP-BTLS.
- o Inspected for loose or broken teeth.
- o Inspected for foreign objects, dentures.

Assessed the neck.

- o Inspected for DCAP-BTLS.
- o Inspected for JVD.
- o Inspected for tracheal deviation.
- Palpated for TIC.

Assessed the chest.

- o Inspected for DCAP-BTLS.
- o Palpated for TIC.
- o Auscultated for breath sounds (absent, present, equal).